



Price List 2025

Price list valid from 1st February 2025. All previous price lists are not valid from this date. Prices are in EUR, without VAT and shipment. Manufacturer reserves right to change prices when costs or exchange rate change.

List of content

THERMOMETERS AND MANOMETERS	2
Technical thermometers	2
Thermometers for household	3
Capillary thermometer and manometers.....	3
Oven thermometers	3
Accessories for thermometers and manometers.....	4
Thermostats and thermal cutouts.....	4
Capillary thermostats and thermal cutouts.....	4
Stem thermostats	5
Bimetallic thermostats and thermal cutouts.....	5
Accessories for thermostats and thermal cutouts	6
Other products	7
Services.....	7
Calibration of bimetallic thermometers	7
Other services.....	8

APATOR METRA s.r.o.
Havlíčková 919/24
787 01 Šumperk

tel.: +420 583 718 111
e-mail: prodej@metra-su.cz
www.metra-su.cz

THERMOMETERS AND MANOMETERS

(Calibration prices are listed at the end of the Price list)

Technical thermometers

Stainless thermometers



EUR

Straight thermometer TR 60	up to 60 mm	stem – stainless steel	11,75
	100 mm	stem – stainless steel	12,25
	160 mm	stem – stainless steel	13,75
	250 mm	stem – stainless steel	15,05
	400 mm	stem – stainless steel	16,85
Straight thermometer TR 100	up to 60 mm	stem – stainless steel	13,55
	100 mm	stem – stainless steel	14,05
	160 mm	stem – stainless steel	14,55
	250 mm	stem – stainless steel	16,85
	400 mm	stem – stainless steel	21,70
	630 mm	stem – stainless steel	31,05
	1 000 mm	stem – stainless steel	41,30
1 500 mm	stem – stainless steel	53,50	
Straight thermometer TR 120	60 mm	stem – stainless steel	18,85
	100 mm	stem – stainless steel	19,35
	160 mm	stem – stainless steel	19,90
	250 mm	stem – stainless steel	21,40
	400 mm	stem – stainless steel	28,05
	630 mm	stem – stainless steel	35,15
	1 000 mm	stem – stainless steel	45,35
1 500 mm	stem – stainless steel	63,65	
Angle thermometer TU 60	100 mm	stem – stainless steel	21,90
	160 mm	stem – stainless steel	22,70
	250 mm	stem – stainless steel	24,20
	400 mm	stem – stainless steel	25,75
Angle thermometer TU 100	100 mm	stem – stainless steel	25,00
	160 mm	stem – stainless steel	25,75
	250 mm	stem – stainless steel	26,80
	400 mm	stem – stainless steel	30,05
	630 mm	stem – stainless steel	44,85
	1 000 mm	stem – stainless steel	54,55
	1 500 mm	stem – stainless steel	69,80
Angle thermometer TU 120	100 mm	stem – stainless steel	27,50
	160 mm	stem – stainless steel	28,55
	250 mm	stem – stainless steel	29,55
	400 mm	stem – stainless steel	34,10
	630 mm	stem – stainless steel	48,40
	1 000 mm	stem – stainless steel	59,60
	1 500 mm	stem – stainless steel	74,40
Plastic head thermometers			
Straight thermometer DTR	up to 160 mm	stem – stainless steel	16,05
	250 mm	stem – stainless steel	17,50
	400 mm	stem – stainless steel	22,65
	630 mm	stem – painted steel	37,40
	1 000 mm	stem – painted steel	40,85
	1 500 mm	stem – painted steel	55,95

			EUR
Angle thermometer DTU	100 mm	stem – stainless steel	22,35
	160 mm	stem – stainless steel	22,90
	250 mm	stem – stainless steel	23,35
	400 mm	stem – stainless steel	28,20
	630 mm	stem – painted steel	42,80
	1 000 mm	stem – painted steel	50,60
	1 500 mm	stem – painted steel	63,95
Other technical thermometers			
Contact thermometer DKR 250	to 160 mm		63,60
	250 mm		65,00
	400 mm		72,20
	630 mm		91,70
Thermometer TT60			8,15
Surface thermometer DTTR			13,85
Heat-conductive ring DTTR			0,95
Probing thermometer TRV			57,35

Thermometers for household



Wall thermometer VNT (plastic board with digital print)		27,75
Wall thermometer VNT-B (slate board with laser print)		34,65
Wall thermometer VNT-D (wooden board with laser print)		27,75
Stove capillary thermometer TKS 60		28,95
Flue gas thermometer TRS 60		22,20
Flue gas thermometer TRS 100		25,00
Wall thermometer T 120 N		21,40
Sauna thermometer T 120 S		22,35
Thermometer for fruit preservation DTD 2		12,20
Thermometer for smokehouse, BBQ a grill (TR100, 0-260°C, stem length 250 mm)		26,55
Thermometer for smokehouse, BBQ a grill (TR100, 0-260°C, stem length 400 mm)		27,70
Thermometer for smokehouse, BBQ a grill (TR60, 0-260°C, stem length 100 mm)		20,15
Table thermometer DTST		12,65
Window thermometer DTOK		11,20

Capillary thermometer and manometers



Capillary thermometer TCS 48	capillary length 1 450 mm	7,80
Capillary thermometer TCS 60	capillary length 1 450 mm	7,80
Manometer MCS 48	capillary length 920 mm	20,45
Manotherm MTCC 60	capillary length 1 450 mm (therm. part) 920 mm (man. part)	25,40

Oven thermometers



Oven thermometer DTSP		27,30
Oven thermometer DIT 40.2		5,10
Oven thermometer DIT 41.1		7,10
Oven thermometer DIT 41.2		24,30

Accessories for thermometers and manometers



				EUR
Thermometer well	50 mm	painting (thread M20x1,5 or G1/2")		5,85
		chromed (thread M20x1,5 or G1/2")		6,80
		brass/copper, thread G1/2"		7,45
	65 mm	stainless steel PN40 (thread M20x1,5 or G1/2")		10,80
		painting (thread M20x1,5 or G1/2")		5,95
		chromed (thread M20x1,5 or G1/2")		6,90
	105 mm	brass/copper, thread G1/2"		7,55
		stainless steel PN40 (thread M20x1,5 or G1/2")		13,45
		painting (thread M20x1,5 or G1/2")		6,10
	165 mm	chromed (thread M20x1,5 or G1/2")		7,00
		brass/copper, thread G1/2"		7,70
		stainless steel PN40 (thread M20x1,5 or G1/2")		14,25
	255 mm	painting (thread M20x1,5 or G1/2")		6,30
		chromed (thread M20x1,5 or G1/2")		7,70
		brass/copper, thread G1/2"		8,45
	405 mm	stainless steel PN40 (thread M20x1,5 or G1/2")		18,95
		painting (thread M20x1,5 or G1/2")		6,35
		chromed (thread M20x1,5 or G1/2")		8,15
	635 mm	brass/copper, thread G1/2"		9,25
		stainless steel PN40 (thread G1/2")		20,20
		painting (thread M20x1,5 or G1/2")		7,05
	1 005 mm	chromed (thread M20x1,5 or G1/2")		8,80
		stainless steel PN40 (thread G1/2")		22,85
		painting (thread M20x1,5 or G1/2")		11,50
	1 505 mm	chromed (thread M20x1,5 or G1/2")		14,10
		painting (thread M20x1,5)		14,80
		chromed (thread M20x1,5)		17,40
Weld-on piece stainless steel		painting (thread M20x1,5)		18,10
		chromed (thread M20x1,5)		20,25
Weld-on piece steel		(thread M20x1,5 or G1/2")		10,95
Adjustable screw socket for stem ø 8 mm		(thread M20x1,5 or G1/2")		3,80
		zinc coated – blue chromate		2,40
	for stem ø 12 mm	chromed		3,00
		zinc coated – blue chromate		2,55
		chromed		3,25
Back pressure valve ZV4.4				2,85
Attachment (both variants of screw)				2,40
Flue gas well heat-resistant				17,35
Accessories for TKS (both variants)				14,15

Thermostats and thermal cutouts

Capillary thermostats and thermal cutouts



(Price for both angular and straight design of RT thermostat is the same)

KR 10.DR	7-77 °C	capillary length	500 mm	2 terminals	8,75
KR 10	7-77 °C	capillary length	500 mm	2 terminals	8,75
KR 20	35-95 °C	capillary length	1 000 mm	2 terminals	8,85
KR 11.TR	7-77 °C	capillary length	1 000 mm	3 terminals	8,85
KR 11	7-77 °C	capillary length	500 mm	3 terminals	9,05
KR 21	35-95 °C	capillary length	1 000 mm	3 terminals	9,35

				EUR
RT 8801.01	0-40 °C	capillary length 1 000 mm	2 terminals	9,50
RT 8802.01A	35-95 °C	capillary length 1 459 mm	2 terminals	9,65
RT 8803.02	7-77 °C	capillary length 500 mm	2 terminals	9,35
RT 8804.01	50-190 °C	capillary length 1 000 mm	2 terminals	9,55
RT 8804.01	50-250 °C	capillary length 1 000 mm	2 terminals	9,65
RT 8804.01	50-320 °C	capillary length 1 000 mm	2 terminals	9,15
RT 8804.01	50-320 °C	capillary length 1 500 mm	2 terminals	9,35
RT 8801.011	0-40 °C	capillary length 1 000 mm	3 terminals	9,50
RT 8803.021	7-77 °C	capillary length 500 mm	3 terminals	10,35
RT 8804.011	50-190 °C	capillary length 1 000 mm	3 terminals	11,10
RT 8804.011	50-320 °C	capillary length 1 000 mm	3 terminals	11,10
RT 8824.011	-15-+310 °C	capillary length 1 500 mm	3 terminals	15,15
KNTP 8812.02	35-99 °C	capillary length 1 000 mm	single-pole	** 9,25
KNTP 8813.02	35-80 °C	capillary length 500 mm	single-pole	** 9,25
KNTP 8814.02	50-320 °C	capillary length 900 mm	single-pole	** 9,50
KNTP 8823.02	35-99 °C	capillary length 500 mm	double-pole	** 11,70
STB 89.76	85-110 °C	capillary length 2 000 mm	single-pole	** 11,45

Stem thermostats



TH 20			63,65
TH 140			67,35
TH 140 PZP 16			** 62,00
TH 141			66,80
TH 143			62,20
TH 144			62,10
TH 160		2 terminals, with cover	32,05
TH 160.1		2 terminals, without cover	32,05
TH 160.2		3 terminals	37,30
TH 162			** 33,00
TH 163			33,35
TH 164			33,60
TH 165			** 33,00
TH 166			33,00
TH 167			34,20
TH 167.1			36,55
TH 169			34,20
TH 220			73,85
TH 221			68,75
TH 260			126,85
TH 261			125,85
TH 810.2			** 45,80



Bimetallic thermostats and thermal cutouts

TH 470			8,60
TH 470.1			9,60
TH 470.2			9,10

	EUR
TH 472 RA / TH 472 ZA	* 9,15
TH 472 RB / TH 472 ZB	* 9,45
TH 472 RC / TH 472 ZC	* 9,45
TH 472 RD / TH 472 ZD	* 9,95
TH 473 RA / TH 473 ZA	* 10,70
TH 473 RB / TH 473 ZB	* 11,20
TH 476 RA	* 11,75
TH 476 RB	* 11,20
TH 480 RA / TH 480 ZA	* 11,20
TH 480 RB / TH 480 ZB	* 10,70
TH 480 RC / TH 480 ZC	* 10,70
TH 480 RD / TH 480 ZD	* 11,20

Accessories for thermostats and thermal cutouts

Thermostat well	TH 20	9,70
	TH 140 + 143	10,10
	TH 140 PZP 16	8,70
	TH 141 + 144	8,40
	TH 160, TH 169	9,30
	TH 162 + TH 163	6,95
	TH 164 + TH 165	7,65
	TH 166	7,80
	TH 167	8,75
TH 140 - cover		2,25
Terminal cover		1,45
Button for capillary thermostat	white shaped button	0,90
	black flat button	0,90
	black convex button	0,90
Button backplate	white backplate	0,55
	white printed backplate	0,80
	black	0,55
Capillary cutout holder		0,35

Other products



EUR

Sliding cylindrical resistors - discount

OPK 200x30	0,16 A	3 900 Ω	65,70
OPK 200x30	0,25 A	1 850 Ω	65,70
OPK 200x30	0,4 A	580 Ω	65,70
OPK 200x30	0,63 A	200 Ω	65,70
OPK 200x30	1 A	100 Ω	77,55
OPK 200x30	1,6 A	42 Ω	77,55
OPK 200x30	4 A	6,4 Ω	77,55
OPK 200x30	6,3 A	2,2 Ω	80,05
OPK 300x45	0,16 A	9 800 Ω	85,60
OPK 300x45	0,25 A	4 600 Ω	85,60
OPK 300x45	0,4 A	1 450 Ω	85,60
OPK 300x45	0,63 A	500 Ω	85,60
OPK 300x45	1 A	250 Ω	91,00
OPK 300x45	1,6 A	105 Ω	91,00
OPK 300x45	4 A	16 Ω	102,85
OPK 300x45	6,3 A	5,5 Ω	107,50
OPK 500x60	0,16 A	23 400 Ω	98,95
OPK 500x60	0,25 A	10 000 Ω	98,95
OPK 500x60	0,4 A	3 500 Ω	98,95
OPK 500x60	0,63 A	1 200 Ω	98,95
OPK 500x60	1 A	570 Ω	103,85
OPK 500x60	1,6 A	250 Ω	109,90
OPK 500x60	4 A	39 Ω	133,50
OPK 500x60	6,3 A	13 Ω	148,50

Accessories for sliding cylindrical resistors

Dropper OPK 30 / Dropper OPK 45 / Dropper OPK 60	14,60
Roller OP	15,80
Clamp M4 OPK, OOPK	3,40
Clamp M5 OPK, OOPK	3,90

Services

Calibration of bimetallic thermometers

Thermometers TR, TU, DTR, DTU, DKR

Calibration	-30-50 °C	7 calibration points	23,80
	0-120 °C	9 calibration points	23,80
	0-160 °C	7 calibration points	23,80
	0-200 °C	9 calibration points	27,10
	0-350 °C	6 calibration points	27,10
	0-450 °C	8 calibration points	30,00

Thermometers T 120 S / N, DTN

Calibration T 120 S / N		7 calibration points	23,80
Calibration DTN	-30-50 °C	9 calibration points	23,80
	-10-50 °C	7 calibration points	23,80

Other services

Logo on thermometer scale	up to 2 colors	EUR price upon request
Outsourcing		contract price

NOTES:

*) Prices are valid if at least 2000 pieces are ordered. For lesser orders, prices are calculated as follows.

Quantity (pcs)	Price (% of basic price)
1 – 10	1 000
11 – 100	600
101 – 500	300
501 – 2 000	150
≥ 2 000	100

***) Extra payment 2 EUR/pc is invoiced when less than 100 pcs ordered.